

Programm Nano- und Mikrosysteme / Program nano- and Microsystems

Veröffentlichungen des Jahres 2009 / Publications 2009

Stand: 2. November 2010 / Updated November 2nd, 2010

Nur schriftliche Veröffentlichungen / no oral presentations or posters

Nähere Informationen über die jeweilige Veröffentlichung erhalten Sie über den [Suchmodus unserer Zentralbibliothek](#) / for more information please turn to the [search mode of Forschungszentrum Karlsruhe central library](#) (please enter up to 5 words (author, title, institute (imf3), no special sequence required)

Bär, A.T.; Hanemann, T.; Schumacher, B.
Entwicklung von Polymer-Keramik-Komposit Kondensatoren.
Wissenschaftliche Berichte, FZKA-7458 (März 2009)
Bachelor Thesis (A.T.Bär), Universität Freiburg 2009

Bauer, W.; Knitter, R.
Low-pressure injection moulding.
Ritzhaupt-Kleissl, H.J. [Hrsg.]
Ceramics Processing in Microtechnology
Dunbeath : Whittles Publ., 2009 S.158-70
ISBN 978-1904445-84-5

Binder, J.R.; Dorey, R.A.; Müller, M.; Geßwein, H.; Rocks, S.A.; Wang, D.
Near net shaping of ceramics in microsystems technology.
Ritzhaupt-Kleissl, H.J. [Hrsg.]
Ceramics Processing in Microtechnology
Dunbeath : Whittles Publ., 2009 S.85-100
ISBN 978-1904445-84-5

Binder, J.R.; Knitter, R.
Synthesis and processing of new ceramic materials.
Applied Particle Technology : Proc.of an Internat.Seminar, Tomsk, Russia, 2008
Wissenschaftliche Berichte, FZKA-7460 (Juli 2009) S.2-6

Bonnas, S.; Eisenheimer, H.
Fabrication of ceramic microcomponents by electrophoretic deposition.
Ritzhaupt-Kleissl, H.J. [Hrsg.]
Ceramics Processing in Microtechnology
Dunbeath : Whittles Publ., 2009 S.171-92
ISBN 978-1904445-84-5

Dickerhof, M.; Parusel, A.; Bittner, K.; Anson, S.; Kautt, M.; Gengenbach, U.;
Kaufmann, U.; Voges, U.
GLOBE MST - Metastudie zum Stand der Mikrosystemtechnik auf der Basis
inhaltsanalytischer Methoden.
MikroSystemTechnik Kongress 2009
Proc.auf CD-ROM Paper P12.2
Berlin [u.a.] : VDE-Verl., 2009
ISBN 978-3-8007-3183-1

Eisenheimer, H.C.; Tabellion, J.; Paul, F.; Haußelt, J.
Distribution of the local electric field during electrophoretic deposition of
an alumina suspension on a membrane.

Boccaccini, A.R. [Hrsg.]
Electrophoretic Deposition : Fundamentals and Applications ; Selected, Peer
Reviewed Papers from the 3rd Internat.Conf., Tokyo, J, October 5-9, 2008
Stafa-Zürich : Trans Tech Publ., 2009 S.15-20
(Key Engineering Materials ; 412)
ISBN 978-0-87849-333-3

Gromov, A.A.; Strokova, Yu.I.; Ritzhaupt-Kleissl, H.J.
Passivation and stabilization of aluminum nanoparticles, produced by the
electrical explosion of wires (EEW) technology.
Applied Particle Technology : Proc.of an Internat.Seminar, Tomsk, Russia, 2008
Wissenschaftliche Berichte, FZKA-7460 (Juli 2009) S.23-33

Gruber, W.; Geckle, U.; Bruns, M.; Schmidt, H.
Si diffusion in magnetron sputtered silicon carbide films deposited on silicon
and carbon substrates.
Thin Solid Films, 518(2009) S.396-98
DOI:10.1016/j.tsf.2009.06.005

Hanemann, T.; Haußelt, J.; Ritzhaupt-Kleissl, E.
Compounding, micro injection moulding and characterisation of polycarbonate-
nanosized alumina-composites for application in microoptics.
Microsystem Technologies, 15(2009) S.421-27
DOI:10.1007/s00542-008-0670-8

Hanemann, T.; Heldele, R.; Haußelt, J.
Feedstockentwicklung für das Mikropulverspritzgießen.
Vollertsen, F. [Hrsg.]
4.Kolloquium Mikroproduktion : Fachbeiträge der vier SFB der Mikrotechnik, Bremen
Bremen : BIAS Verl., 2009 S.93-98

Hanemann, T.; Müller, C.; Schulz, M.
Filled resist systems.
Saile, V. [Hrsg.]
LIGA and its Applications
Weinheim [u.a.] : Wiley VCH, 2009 S.415-41
(Advanced Micro and Nanosystems ; Vol.7)
ISBN 978-3-527-31698-4

Hanemann, T.
Flow behavior of unsaturated polyester resin - Microsized 17-4PH stainless
steel powder - Feedstocks.
Polymer Composites, 30(2009) S.1873-78
DOI:10.1002/pc.20763

Hanemann, T.
Polymer nano-TiO₂ composites: influence of the nanoparticle surface chemistry
on rheological properties.
Saile, V. [Hrsg.]
4M/ICOMM 2009 : The Global Conf.on Micro Manufacture, Karlsruhe, 2009
London : Professional Engineering Publ., 2009 S.199-202
Engineering Conferences Online

Hanemann, T.; Honnef, K.
Process chain development for the realization of zirconia microparts using
composite reaction molding.
Ceramics International, 35(2009) S.269-75
DOI:10.1016/j.ceramint.2007.10.005

Hanemann, T.; Böhm, J.; Honnef, K.; Heldele, R.; Schumacher, B.
Properties and application of polymer-ceramic-composites in microsystem
technologies.
Ritzhaupt-Kleissl, H.J. [Hrsg.]
Ceramics Processing in Microtechnology
Dunbeath : Whittles Publ., 2009 S.120-33
ISBN 978-1904445-84-5

Hanemann, T.; Honnef, K.
Rheological investigations on the flow behavior of polymer-microsized iron
powder composites.
Polymer Composites, 30(2009) S.1114-18
DOI:10.1002/pc.20663

Hüger, E.; Schmidt, H.; Stahn, J.; Braunschweig, B.; Geckle, U.; Bruns, M.;
Markwitz, A.
Atomic transport in metastable compounds: case study of self-diffusion in Si-C-
N films using neutron reflectometry.
Physical Review B, 80(2009) S.220101/1-4
DOI:10.1103/PhysRevB.80.220101

Hüger, E.; Stahn, J.; Geckle, U.; Bruns, M.; Schmidt, H.
Diffusion in isotope heterostructures investigated by neutron reflectometry.
Aguero, A. [Hrsg.]
Proc.of the 7th Internat.Conf.on Diffusion in Materials (DIMAT 2008), Lanzarote, E
Stafa-Zürich [u.a.] : Trans Tech Publ., 2009 S.697-703
(Defect and Diffusion Forum ; 289-292)
ISBN 978-3-908451-72-3

Indris, S.; Hain, H.; Mönig, R.; Gruber, P.; Gesswein, H.
In-situ XAS investigations of new electrode materials for Li ion batteries.
ANKA - Annual Report 2009 S.62-65
Karlsruhe : Karlsruhe Institute of Technology
Also publ.online

Indris, S.; Mönig, R.; Gruber, P.; Gesswein, H.
XRD investigation of electrochemical Li intercalation into CuCr₂Se₄.
ANKA - Annual Report 2009 S.85
Karlsruhe : Karlsruhe Institute of Technology
Also publ.online

Kasanicka, B.; Okolo, B.; Baumeister, G.; Auhorn, M.; Beck, T.; Wanner, A.;
Hausselt, J.; Löhe, D.; Schulze, V.
On the relationship between microcasting process, material states and
mechanical properties in the gold alloy Stabilor G.
Materials Science and Engineering A, 501(2009) S.70-80
DOI:10.1016/j.msea.2008.09.070

- Kohler, R.; Proell, J.; Ulrich, S.; Trouillet, V.; Indris, S.; Przybylski, M.; Pflöging, W.
Laser-assisted structuring and modification of LiCoO₂ thin films.
Pflöging, W. [Hrsg.]
Laser-Based Micro- and Nanopackaging and Assembly III : Proc.of the Technical Conf., San Jose, Calif., 2009
Bellingham, Wash.: SPIE, 2009 S.720207/1-11
(SPIE Proceedings Series ; 7202)
ISBN 978-0-8194-7448-3
Also publ.online
- Löbbecke, B.; Knitter, R.; Haußelt, J.
Rheological properties of alumina feedstocks for the low-pressure injection moulding process.
Journal of the European Ceramic Society, 29(2009) S.1595-1602
DOI:10.1016/j.jeurceramsoc.2008.11.001
- Müller, M.; Bauer, W.; Knitter, R.
Processing of micro-components made of sintered reaction-bonded silicon nitride (SRBSN). Part 1: Factors influencing the reaction-bonding process.
Ceramics International, 35(2009) S.2577-85
DOI:10.1016/j.ceramint.2009.02.013
- Müller, T.; Piötter, V.; Plewa, K.; Prokop, J.; Ritzhaupt-Kleissl, H.J.; Hausselt, J.
Complex shaped micro components produced by powder injection molding.
Saile, V. [Hrsg.]
4M/ICOMM 2009 : The Global Conf.on Micro Manufacture, Karlsruhe, 2009
London : Professional Engineering Publ., 2009 S.103-06
Engineering Conferences Online
- Nebhani, L.; Gerstel, P.; Atanasova, P.; Bruns, M.; Barner-Kowollik, C.
Efficient and mild modification of Si surfaces via orthogonal hetero Diels-Alder chemistry.
Journal of Polymer Science A, 47(2009) S.7090-95
DOI:10.1002/pola.23756
- Ochs, R.; Schlabach, S.; Szabo, D.V.
Parameters influencing particle properties in a non-equilibrium microwave plasma process.
Feher, L. [Hrsg.]
Proc.of the 12th Internat.Conf.on Microwave and High Frequency Heating (AMPERE 2009), Karlsruhe, 2009
CD-ROM S.355- ??
Karlsruhe : Forschungszentrum Karlsruhe GmbH, 2009
- Paul, F.; Giere, A.; Binder, J.R.
(Ba/Sr)TiO₃: A perovskite-type ferroelectric for tunable dielectric applications at radio frequencies.
Ritzhaupt-Kleissl, H.J. [Hrsg.]
Ceramics Processing in Microtechnology
Dunbeath : Whittles Publ., 2009 S.101-19
ISBN 978-1904445-84-5

Paul, F.; Binder, J.R.; Gesswein, H.; Ritzhaupt-Kleissl, H.J.; Hausselt, J.
Synthesis of doped Ba_{0.6}Sr_{0.4}TiO₃ ceramic powder via a sol-freeze-
granulation and freeze-drying process.
Ceramics International, 35(2009) S.479-86
DOI:10.1016/j.ceramint.2008.01.014

Pfleging, W.; Torge, M.; Bruns, M.; Trouillet, V.; Welle, A.; Wilson, S.
Laser- and UV-assisted modification of polystyrene surfaces for control of
protein adsorption and cell adhesion.
Applied Surface Science, 255(2009) S.5453-57
DOI:10.1016/j.apsusc.2008.08.053

Pfleging, W.; Bruns, M.; Danneil, F.; Kohler, R.; Stüber, M.; Ulrich, S.; Welle,
A.; Wilson, S.
Surface modification and functionalization of polymers and thin films on μ m-
scale.
Ostendorf, A. [Hrsg.]
Lasers in Manufacturing 2009 : Proc.of the 5th Internat.WLT-Conf., München, 2009
Stuttgart : AT-Fachverl., 2009 S.683-89
ISBN 978-3-00-027994-2

Piotter, V.; Federzoni, L.
High-pressure microceramic injection moulding.
Ritzhaupt-Kleissl, H.J. [Hrsg.]
Ceramics Processing in Microtechnology
Dunbeath : Whittles Publ., 2009 S.146-57
ISBN 978-1904445-84-5

Piotter, V.; Ruh, A.; Ritzhaupt-Kleissl, H.J.
Keramische Mehrkomponenten-PIM-Bauteile aus Sub-Mikropulvern.
Kriegesmann, J. [Hrsg.]
Technische Keramische Werkstoffe
109.Ergänzungslieferung - Keramische Werkstoffe - März 2009 Kapitel 3.4.8.6
Köln : Deutscher Wirtschaftsdienst
(Loseblattsammlung)

Piotter, V.; Müller, T.; Plewa, K.; Ruh, A.; Ritzhaupt-Kleissl, H.J.; Hausselt, J.
Metal and ceramic micro parts produced by powder injection molding (MicroPIM).
ANTEC 2009, Chicago, Ill., June 22-24, 2009

Piotter, V.; Finnah, G.; Hanemann, T.; Ruprecht, R.
Micro injection molding.
Kamal, M.R. [Hrsg.]
Injection Molding : Technology and Fundamentals
München [u.a.] : Hanser, 2009 S.341-93
(Progress in Polymer Processing)
ISBN 978-3-446-41685-7

Piotter, V.; Müller, T.; Plewa, K.; Ritzhaupt-Kleissl, H.J.; Ruh, A.; Hausselt, J.
One- and two-component powder injection moulding for micro fabrication.
Saile, V. [Hrsg.]
4M/ICOMM 2009 : The Global Conf.on Micro Manufacture, Karlsruhe, 2009
London : Professional Engineering Publ., 2009 S.429-32
Engineering Conferences Online

Prokop, J.; Blank, R.; Hoffmann, J.; Jans, M.
Entwicklung eines Diagnosesystems zur Behebung graphomotorischer Störungen von Kindern.

MikroSystemTechnik Kongress 2009, Berlin

Proc.auf CD-ROM S.495-98

Berlin [u.a.] : VDE-Verl., 2009

ISBN 978-3-8007-3183-1

Prokop, J.; Lorenz, J.; Elsenheimer, H.; Piotter, V.; Ritzhaupt-Kleissl, H.J.; Haußelt, J.
Manufacturing of nickel, copper, and ceramic micro parts through the MSG/MSE process.

Saile, V. [Hrsg.]

4M/ICOMM 2009 : The Global Conf.on Micro Manufacture, Karlsruhe, 2009

London : Professional Engineering Publ., 2009 S.107-09

Engineering Conferences Online

Rack, A.; Weitkamp, T.; Bauer Trabelsi, S.; Modregger, P.; Cecilia, A.; dos Santos Rolo, T.; Rack, T.; Haas, D.; Simon, R.; Heldele, R.; Schulz, M.; Mayzel, B.; Danilewsky, A.N.; Waterstradt, T.; Diете, W.; Riesemeier, H.; Müller, B.R.; Baumbach, T.

The micro-imaging station of the TopoTomo beamline at the ANKA synchrotron light source.

Nuclear Instruments and Methods in Physics Research B, 267(2009) S.1978-88

DOI:10.1016/j.nimb.2009.04.002

Ritzhaupt-Kleissl, H.J.; Gromov, A.A.

Applied particle technology. Proceedings of an International Seminar, September 22-28, 2008 at the Polytechnical University of Tomsk, Russian Federation.

Wissenschaftliche Berichte, FZKA-7460 (Juli 2009)

Ritzhaupt-Kleissl, H.J.; Dorey, R.A.

Ceramics in microtechnology: status, requirements and challenges.

Ritzhaupt-Kleissl, H.J. [Hrsg.]

Ceramics Processing in Microtechnology

Dunbeath : Whittles Publ., 2009 S.1-22

ISBN 978-1904445-84-5

Ritzhaupt-Kleissl, H.J.

Ceramics processing in microtechnology.

Applied Particle Technology : Proc.of an Internat.Seminar, Tomsk, Russia, 2008

Wissenschaftliche Berichte, FZKA-7460 (Juli 2009) S.7-17

Ritzhaupt-Kleissl, H.J.; Johander, P.; [Hrsg.]

Ceramics Processing in Microtechnology.

Dunbeath : Whittles Publ., 2009

ISBN 978-1904445-84-5

Schlabach, S.; Szabo, D.V.; Feher, L.

Microwave plasma synthesized nanoparticles.

Feher, L. [Hrsg.]

Proc.of the 12th Internat.Conf.on Microwave and High Frequency Heating (AMPERE 2009), Karlsruhe, 2009

CD-ROM S.144-47

Karlsruhe : Forschungszentrum Karlsruhe GmbH, 2009

Schlechtriemen, N.; Binder, J.R.; Hane, C.; Müller, M.; Ritzhaupt-Kleissl, H.J.; Haußelt, J.
Manufacturing of net-shape reaction-bonded ceramic microparts by low-pressure injection molding.
Advanced Engineering Materials, 11(2009) S.339-45
DOI:10.1002/adem.200800377

Schulz, M.
Polymer derived ceramics in MEMS/NEMS - a review on production processes and application.
Advances in Applied Ceramics, 108(2009) S.454-60

Schumacher, B.; Gesswein, H.; Hanemann, T.; Haußelt, J.
Influence of the crystalline and particle size of BaTiO₃ and SrTiO₃ on the dielectric properties of polyester reactive-resin composite materials.
Gessner, T. [Hrsg.]
Smart Systems Integration : European Conf. and Exhibition on Integration Issues of Miniaturized Systems - MEMS, MOEMS, Ics and Electronic Components, Bruxelles, B, 2009
Proc.on CD-ROM
Heidelberg : AKA Verl., 2009
ISBN 978-3-89838-616-6

Schumacher, B.; Geßwein, H.; Haußelt, J.; Hanemann, T.
Permittivity of BaTiO₃ polymer composite with differing particle size distribution
Nanotech Conf.and Expo 2009, Houston, 2009
Technical Proceedings on CD-ROM
Vol.2: Life Sciences, Medicine, Diagnostics, Bio Materials and Composites
Boca Raton, Fla. [u.a.] : CRC Press, 2009 S.546-49
ISBN 978-1-4398-1783-4

Sysoev, V.V.; Musatov, V.Yu.; Maschenko, A.A.; Varegnikov, A.S.; Chrizostomov, A.A.; Kiselev, I.; Schneider, T.; Bruns, M.; Sommer, M.
Could we apply a neuroprocessor for analyzing a gas response of multisensor arrays?
Pardo, M. [Hrsg.]
Olfaction and Electronic Nose : Proc.of the 13th Internat.Symp., Brescia, I, April 15-17, 2009
Melville, N.Y. : AIP, 2009 S.539-42
(AIP Conference Proceedings ; 1137)
ISBN 978-0-7354-0674-2
Also publ.online

Sysoev, V.V.; Kiselev, I.; Schneider, T.; Bruns, M.; Sommer, M.; Habicht, W.; Musatov, V.Yu.; Strelcov, E.; Kolmakov, A.
The gas-sensing characteristics of percolating 2-D SnO₂ nanowire mats as a platform for electronic nose devices.
Pardo, M. [Hrsg.]
Olfaction and Electronic Nose : Proc.of the 13th Internat.Symp., Brescia, I, 2009
Melville, N.Y. : AIP, 2009 S.403-04
(AIP Conference Proceedings ; 1137)
ISBN 978-0-7354-0674-2
Also publ.online

Szabo, D.V.; Ochs, R.; Schlabach, S.; Fuchs, M.; Bruns, M.
How microwaves can contribute to nanotechnology.
Feher, L. [Hrsg.]
Proc.of the 12th Internat.Conf.on Microwave and High Frequency Heating (AMPERE
2009), Karlsruhe, 2009
CD-ROM S.17-20
Karlsruhe : Forschungszentrum Karlsruhe GmbH, 2009

Szabo, D.V.; Bruns, M.; Ochs, R.; Schlabach, S.
Synthesis of nanoscaled powders for applications in microsystems technology.
Ritzhaupt-Kleissl, H.J. [Hrsg.]
Ceramics Processing in Microtechnology
Dunbeath : Whittles Publ., 2009 S.67-84
ISBN 978-1904445-84-5

Vollath, D.; Szabo, D.V.
Nonmetallic bulk nanomaterials.
Zehetbauer, M.J. [Hrsg.]
Bulk Nanostructured Materials
Weinheim : Wiley-VCH, 2009 S.49-85
ISBN 978-3-527-31524-6