

Programm Nano- und Mikrosysteme

Veröffentlichungen des Jahres 2011

Stand: 19.01.2012

Nur schriftliche Veröffentlichungen

Nähere Informationen über die jeweilige Veröffentlichung erhalten Sie über den [Suchmodus unserer Zentralbibliothek](#)

Baumeister, G.; Bugezi-Ahmeti, D.; Glaser, J.; Ritzhaupt-Kleissl, H.J.
New approaches in microcasting: permanent mold casting and composite casting.
Microsystem Technologies, 17(2011) S.289-300

Blinco, J.P.; Trouillet, V.; Bruns, M.; Gerstel, P.; Gliemann, H.; Barner-Kowollik, C.
Dynamic covalent chemistry on surfaces employing highly reactive cyclopentadienyl moieties.
Advanced Materials, 23(2011) S.4435-4439

Bugezi-Ahmeti, D.; Ritzhaupt-Kleissl, H.J.; Glaser, J.
Anwendung von Verbundguss zur Herstellung von Mikroteilen.
Wielage, B. [Hrsg.]
Tagungsband zum 18.Symp.Verbundwerkstoffe und Werkstoffverbunde, Chemnitz, 2011
Chemnitz : Technische Universität, 2011 S.433-440
(Werkstoffe und werkstofftechnische Anwendungen ; 41)
ISBN 978-3-00-033801-4

Cetinel, F.A.; Bauer, W.; Knitter, R.; Haußelt, J.
Factor affecting strength and shape retention of zirconia micro bending bars during thermal debinding
Ceramics International, 37(2011) S.2809-2820

Chen, D.; Indris, S.; Schulz, M.; Gamer, B.; Mönig, R.
In situ scanning electron microscopy on lithium-ion battery electrodes using an ionic liquid.
Journal of Power Sources, 196(2011) S.6382-6387

Da Silva, K.L.; Menzel, D.; Feldhoff, A.; Kübel, C.; Bruns, M.; Paesano, A.; Düvel, A.; Wilkening, M.; Ghafari, M.; Hahn, H.; Litterst, F.J.; Heitjans, P.; Becker, K.D.; Sepelak, V.
Mechanosynthesized BiFeO₃ nanoparticles with highly reactive surface and enhanced magnetization.
Journal of Physical Chemistry C, 115(2011) S.7209-7217

Goldmann, A.S.; Tischer, T.; Barner, L.; Bruns, M.; Barner-Kowollik, C.
Mild and modular surface modification of cellulose via hetero Diels-Alder (HDA) cycloaddition.
Biomacromolecules, 12(2011) S.1137-1145

Greiner, A.; Kauzlaric, D.; Korvink, J.G.; Heldele, R.; Schulz, M.; Piotter, V.; Hanemann, T.; Weber, O.; Haußelt, J.
Simulation of micro powder injection moulding: Powder segregation and yield stress effects during form filling.
Journal of the European Ceramic Society, (2011)

Hanemann, T.; Gesswein, H.; Schumacher, B.
Development of new polymer-BaTiO₃-composites with improved permittivity for embedded capacitors.
Microsystem Technologies, 17(2011) S.195-201

Hanemann, T.; Schumacher, B.

Development of polymer-high-k-ceramic-functional composites for applications as embedded capacitors.

Fillon, B. [Hrsg.]

Proc. of the 7th Internat. Conf. on Multi-Material Micro Manufacture, Bourg-en-Bresse, F, 2011
Singapore : Research Publishing Services, 2011 S.227-230

ISBN 978-981-086555-9

Hanemann, T.; Honnef, K.; Müller, T.; Weber, O.

New methacrylate-based feedstock systems for micro powder injection moulding.

Microsystem Technologies, 17(2011) S.451-457

Hanemann, T.; Gesswein, H.; Schumacher, B.

Dielectric property improvement of polymer-nanosized strontium titanate-composites for applications in microelectronics.

Microsystem Technologies, 17(2011) S.1529-1535

Hanemann, T.; Heldele, R.; Mueller, T.; Haußelt, J.

Influence of stearic acid concentration on the processing of ZrO₂-containing feedstocks suitable for micropowder injection molding.

International Journal of Applied Ceramic Technology, 8(2011) S.865-872

Hanemann, T.; Honnef, K.

Tailoring the optical and thermomechanical properties of polymer host-guest systems.

Journal of Applied Polymer Science, 122(2011) S.3514-3519

Hanemann, T.; Heldele, R.

Fatty acid surfactant structure-feedstock flow properties: correlation for high-pressure ceramic injection molding.

International Journal of Applied Ceramic Technology, 8(2011) S.1296-1304

Harms, M.; Bauer, W.

Batterieforschung am KIT.

Laser Magazin, (2011) Nr.2, S.63-64

Hausselet, J.; Lorenz, J.; Piotter, V.; Prokop, J.; Ritzhaupt-Kleissl, H.J.; Kamps, T.

Multi component injection molding for replicating metallic micro structures.

ANTEC 2011, Boston, Mass., May 1-5, 2011

Proc. on CD-ROM S.1659-1663

Newtown, Conn. : Society of Plastics Engineers, 2011

Hüger, E.; Schmidt, H.; Geue, T.; Stahn, J.; Tietze, U.; Lott, D.; Markwitz, A.; Geckle, U.; Bruns, M.

Nitrogen self-diffusion in magnetron sputtered Si-C-N films.

Journal of Applied Physics, 109(2011) S.093522/1-8

Kautsch, A.; Brossmann, U.; Krenn, H.; Hofer, F.; Szabo, D.V.; Würschum, R.

Structural and optical properties of nanoparticulate Y₂O₃:Eu₂O₃ made by microwave plasma synthesis.

Applied Physics A, 105(2011) S.709-712

Kauzlaric, D.; Pastewka, L.; Meyer, H.; Heldele, R.; Schulz, M.; Weber, O.; Piotter, V.; Hausselet, J.; Greiner, A.; Korvink, J.G.

Smoothed particle hydrodynamics simulation of shear-induced powder migration in injection moulding.

Philosophical Transactions of the Royal Society A, 369(2011) S.2320-2328

Kidambi, P.R.; Bayer, B.C.; Weatherup, R.S.; Ochs, R.; Ducati, C.; Szabo, D.V.; Hofmann, S.
Hafnia nanoparticles - a model system for graphene growth on a dielectric.
Physica Status Solidi - Rapid Research Letters, 5(2011) S.341-343

Maune, H.; Sazegar, M.; Zheng, Y.; Zhou, X.; Giere, A.; Scheele, P.; Paul, F.; Binder, J.R.; Jakoby, R.
Nonlinear ceramics for tunable microwave devices. Part II: RF-characterization and component design.
Microsystem Technologies, 17(2011) S.213-224

Menesklou, W.; Paul, F.; Zhou, X.; Elsenheimer, H.; Binder, J.R.; Ivers-Tiffée, E.
Nonlinear ceramics for tunable microwave devices. Part I: materials properties and processing.
Microsystem Technologies, 17(2011) S.203-211

Müller, M.; Rögner, J.; Bauer, W.; Knitter, R.
Influence of the surface constitution on the as-sintered strength of Si₃N₄ micro specimens.
Materials Science and Engineering A, 528(2011) S.7895-7900

Nadeem, K.; Krenn, H.; Traussnig, T.; Würschum, R.; Szabo, D.V.; Letofsky-Papst, I.
Effect of dipolar and exchange interactions on magnetic blocking of maghemite nanoparticles.
Journal of Magnetism and Magnetic Materials, 323(2011) S.1998-2004

Ochs, R.; Szabo, D.V.; Schlabach, S.; Becker, S.; Indris, S.
Development of nanocomposites for anode materials in Li-ion batteries.
Physica Status Solidi A, 208(2011) S.471-473

Pfleging, W.; Kohler, R.; Torgue, M.; Trouillet, V.; Danneil, F.; Stüber, M.
Control of wettability of hydrogenated amorphous carbon thin films by laser-assisted micro- and nanostructuring.
Applied Surface Science, 257(2011) S.7907-7912

Piotter, V.; Müller, T.; Plewa, K.; Ritzhaupt-Kleissl, H.J.; Ruh, A.; Vorster, E.; Hausselt, J.
Micro systems need a boost in manufacturing methodologies.
Metal Powder Report, (2011) Nr.2 S.33-35

Piotter, V.; Bauer, W.; Knitter, R.; Mueller, M.; Mueller, T.; Plewa, K.
Powder injection moulding of metallic and ceramic micro parts.
Microsystem Technologies, 17(2011) S.251-263

Piotter, V.
A review of the current status of MicroPIM: Materials, processing, microspecific considerations and applications.
Powder Injection Moulding International, 5(2011) Nr.3, S.27-36

Piotter, V.
A review of the current status of microPIM. Part 2: Screw injection units, simulation and process variants.
Powder Injection Moulding International, 5(2011) Nr.4, S.25-30

Piotter, V.; Plewa, K.; Müller, T.; Ruh, A.; Vorster, E.; Ritzhaupt-Kleissl, H.J.; Hausselt, J.
Manufacturing of high-grade micro components by powder injection molding.
Selected, Peer Reviewed Papers from the ICoPE2010 & 13th ICPE Internat.Conf.on Precision Engineering, Singapore, SGP, July 28-30, 2010
Stafa-Zuerich : Trans Tech Publ., 2010 S.351-355
(Key Engineering Materials ; 447-448)

Popenko, E.M.; Gromov, A.A.; Pautova, Yu.I.; Chaplina, E.A.; Ritzhaupt-Kleissl, H.J.
SEM-EDX study of the crystal structure of the condensed combustion products of the aluminum nanopowder burned in air under the different pressures.
Applied Surface Science, 257(2011) S.3641-3644

Prokop, J.; Eberl, C.; Funk, M.; Prüfe, P.; Lorenz, J.; Piotter, V.; Welz, M.; Ritzhaupt-Kleissl, H.J.
Mechanical testing of micro samples produced by a novel LIGA related process chain.
Microsystem Technologies, 17(2011) S.281-288

Pröll, J.; Kohler, R.; Adelhelm, c.; Bruns, M.; Torge, M.; Heißler, S.; Przybylski, M.; Ziebert, C.; Pflöging, W.
Laser modification and characterization of Li-Mb-O thin film cathodes for lithium-ion batteries.
Pflöging, W. [Hrsg.]
Laser-Based Micro- and Nanopackaging and Assembly V : Proc.of Photonics West Bellingham, Wash.: SPIE,2011, San Francisco, Calif., January 25-27, 2011
2011 S.79210Q/1-14
(SPIE Proceedings Series ; 7921)
ISBN 978-0-8194-8458-1

Rapp, B.E.; Schickling, B.; Prokop, J.; Piotter, V.; Rapp, M.; Länger, K.
Design and integration of a generic disposable array-compatible sensor housing into an integrated disposable indirect microfluidic flow injection analysis system.
Biomedical Microdevices, 13(2011) S.909-922

Rögner, J.; Müller, M.; Lang, K.H.; Schulze, V.
Sintered reaction bonded silicon nitride for micro mechanical components.
Fillon, B. [Hrsg.]
Proc.of the 7th Internat.Conf.on Multi-Material Micro Manufacture, Bourg-en-Bresse, F, 2011
Singapore : Research Publishing Services, 2011 S.231-234
ISBN 978-981-086555-9

Ruh, A.; Hanemann, T.; Heldele, R.; Piotter, V.; Ritzhaupt-Kleissl, H.J.; Hausselt, J.
Development of two-component micropowder injection molding (2C MicroPIM): characteristics of applicable materials.
International Journal of Applied Ceramic Technology, 8(2011) S.194-202

Ruh, A.; Piotter, V.; Plewa, K.; Ritzhaupt-Kleissl, H.J.; Haußelt, J.
Development of two-component micropowder injection molding (2C-MicroPIM) - process development.
International Journal of Applied Ceramic Technology, 8(2011) S.610-616

Ruh, A.; Piotter, V.; Plewa, K.; Ritzhaupt-Kleissl, H.J.; Haußelt, J.
Influence and limits of sintering temperatures on the movability of shaft-to-collar connections formed by two-component micro powder injection moulding.
Microsystem Technologies, 17(2011) S.1541-1546

Ruh, A.; Klimscha, K.; Piotter, V.; Plewa, K.; Ritzhaupt-Kleissl, H.J.; Fleischer, J.
The development of two-component micro powder injection moulding and sinter joining.
Microsystem Technologies, 17(2011) S.1547-1556

Ruh, A.; Piotter, V.; Plewa, K.; Ritzhaupt-Kleissl, H.J.; Haußelt, J.
Progress of two-component micro powder injection moulding (2C-MicroPIM).
Powder Injection Moulding International, 5(2011) Nr.1, S.68-70

Sagmeister, M.; Postl, M.; Brossmann, U.; List, E.J.W.; Klug, A.; Letofsky-Papst, I.; Szabo, D.V.; Würschum, R.

Structure and electrical properties of nanoparticulate tungsten oxide prepared by microwave plasma synthesis.

Journal of Physics: Condensed Matter, 23(2011) S.334206/1-7

Sazegar, M.; Zheng, Y.; Maune, H.; Damm, C.; Zhou, X.; Binder, J.; Jakoby, R.

Low-cost phased-array antenna using compact tunable phase shifters based on ferroelectric ceramics.

IEEE Transactions on Microwave Theory and Techniques, 59(2011) S.1265-1273

Sazegar, M.; Mehmood, A.; Zheng, Y.; Maune, H.; Zhou, X.; Binder, J.; Jakoby, R.

Compact tunable loaded line phase shifter based on screen printed BST thick film.

Proc.of the 6th German Microwave Conf. (GeMiC 2011), Darmstadt, March 14-16, 2011

Piscataway, N.J. : IEEE, 2011

ISBN 978-1-4244-9225-1

Schlabach, S.; Ochs, R.; Hanemann, T.; Szabo, D.V.

Nanoparticles in polymer-matrix composites.

Microsystem Technologies, 17(2011) S.183-193

Schroeder, M.; Glatthaar, S.; Binder, J.R.

Influence of spray granulation on the properties of wet chemically synthesized

$\text{Li}_{1.3}\text{Ti}_{1.7}\text{Al}_{0.3}(\text{PO}_4)_3$ (LATP) powders.

Solid State Ionics, 201(2011) S.49-53

Szabo, D.V.; Killibarda, G.; Schlabach, S.

Microwave plasma synthesis of nanomaterials for Li-ion battery application.

Tao, J. [Hrsg.]

Microwave and RF Power Applications : Proc.of the 13th Internat.Conf.on

Microwave and High Frequency Heating (AMPERE 2011), Toulouse, F, September 5-8, 2011

Toulouse : CEPAD, 2011 S.425-428

ISBN 978-2-85428-978-7

Traußnig, T.; Topolovec, S.; Nadeem, K.; Szabo, D.V.; Krenn, H.; Würschum, R.

Magnetization of Fe-oxide based nanocomposite tuned by surface charging.

Physica Status Solidi (RRL), 5(2011) S.150-152

Vorster, E.; Piotter, V.; Plewa, K.; Ruh, A.; Ritzhaupt-Kleissl, H.J.; Haussett, J.

Variants of micro multi-component powder injection moulding.

Fillon, B. [Hrsg.]

Proc.of the 7th Internat.Conf.on Multi-Material Micro Manufacture, Bourg-en- Bresse, F, 2011

Singapore : Research Publishing Services, 2011 S.305-307

ISBN 978-981-086555-9

Weber, O.; Rack, A.; Redenbach, C.; Schulz, M.; Wirjadi, O.

Micropowder injection molding: investigation of powder-binder separation using synchrotron-based microtomography and 3D image analysis.

Journal of Materials Science, 46(2011) S.3568-3573

Zheng, Y.; Sazegar, M.; Maune, H.; Zhou, X.; Binder, J.R.; Jakoby, R.

Compact substrate integrated waveguide tunable filter based on ferroelectric ceramics.

IEEE Microwave and Wireless Components Letters, 21(2011) S.477-479

Zydzia, N.; Hübner, C.; Bruns, M.; Barner-Kowollik, C.
One-step functionalization of single-walled carbon nanotubes (SWCNTs) with cyclopentadienyl-capped
macromolecules via Diels-Alder chemistry.
Macromolecules, 44(2011) S.3374-3380